

We provide superior
performing compressed air

ENGINEERED FOR SUPERIOR PERFORMANCE



Engineered for Superior Performance



Superior Reliability & Longevity

- iv



Energy & Cost Savings





Engineered for Superior Performance

e & Fe

Pipe Connectors

Flexible Hoses

S

A

R

R

Qui Fitting

Tools & Accessories

S

U

D



BLUE ALUMINUM PIPE

GRAY ALUMINUM PIPE



EQUAL PIPE TO PIPE CONNECTORS

EQUAL TEE

REDUCING PIPE TO PIPE CONNECTORS

GREEN ALUMINUM PIPE



END

EQUAL 90° ELBOW

TEE

EQUAL 45° ELBOW



LATERAL REDUCING TEE

JOINT



Engineered for Superior Performance

ALUMINUM JOINT
MALE T

ALUMINUM ELBOW
MALE

ALUM ELBOW
FEMALE

QUICK DROP
FEMALE THRD

VALVED WALL BRACKET
FEMALE THREAD

BRASS BALL
VALVE

QUICK DROP

QUICK CONNECT
MALE THREAD

QUICK CONNECT
BALL VALVE

NON-VALVED WALL
BRACKETS

SWING CHECK
VALVE

FLANGE

FLEXIBLE HOSES

FLANGE(CAST IRON)
FEMALE THREAD

BUTTERFLY
VALVE

ALUMINUM
REDUCING FLANGE

FLANGE(STAINLESS STEEL)
FEMALE THREAD

PNEUMATIC CONNECTOR MALE

WATER DRAIN VALVE



FIXTURE CONNECTORS & ACCESSORIES

Clamps,Plastic

AIRpipe

BSP	DN
302 22 0100 01	20
302 22 0200 01	25
302 22 0400 01	40
302 22 0500 01	50
302 22 0600 01	63
302 22 0700 01	80
302 22 0800 01	100

Steel

THREADED ADAPTORS

Aluminum, Male Thread
*Male Thread

AIRpipe

BSP		
301 31 0000 01	½"	½"
301 31 0100 01	¾"	¾"
301 31 0200 01	1"	1"
301 31 0400 01	1"½"	1"½"
301 31 0500 01	2"	2"

Aluminum, Male Thread
*Female Thread

AIRpipe

AUTOCLYSIS BAG

AIRpipe

BSP	Length (MM)
301 85 0001 01	200
301 85 0002 01	300
301 85 0003 01	400

* 4"½" aside outlet

SAMPLE BOX

AIRpipe

302 46 0001 01	200x270x190mm

ALUMINUM PIPE DEBURRER

AIRpipe

	DN
301 35 0003 01	20-50

SPANNERS

AIRpipe

301 35 0007 01

ALUMINUM PIPE CUTTER

ADJUSTABLE BRACKET

Complete With Wall Expansion Bolts

AIRpipe

	Length (MM)	to suit
301 32 0004 01	1200-2400	Threaded
301 32 0005 01	1800-2000	Flange

GR...

AIRpipe

301 33 0003 01 — M8

BOLT AND STEEL CLAMP

WALL MOUNTED BRACKET

Complete With Wall Expansion Bolts

AIRpipe

	Length (MM)
301 32 0000 01	300
301 32 0001 01	500
301 32 0002 01	1200
301 32 0006 01	Suit to DN150/ DN200 pipe

UNIVERSAL BEAM SUSPENDER



Engineered for Superior Performance

Superior Reliability!

Insertion Depth for DN63-DN250 Connection

DN	Insertion depth (mm)
50	89

Deburr & Chamfer The Outer and Inner Edges Before Installation



Installation Guide for DN63-DN250











we are at your SERVICE